THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 19th May 1939, published under Article 141 of the Articles of Association

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers ..	31,96,169
„ Reserve Fund	26,50,000	„ Loans and Cash Credit Accounts	190,98,826
„ Public and other Deposits ..	282,81,227	„ Bills discounted and purchased ..	11,54,944
„ Sundries	4,54,773	„ Investments	88,88,379
		„ Balance at Agencies	..
		„ Dead Stock	9,14,616
		„ Sundries	1,33,066
Total Rs.	333,86,000	Rs.	333,86,000

(Annas and pies omitted.)

BANGALORE,
Dated 23rd May 1939.

T. M. S. SUBRAMANIAM,
For *Manager.*

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 30141-8, *dated 13th May* 1939.

To *The Firms dealing in Steel Racks.*

Enquiry No. 3425.

STEEL RACKS FOR THE ORIENTAL LIBRARY AT MYSORE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Racks" with the above enquiry Number.

This enquiry will be closed on the 29th May 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
	Specification of Steel Racks for Oriental Library, Mysore.			
1	The total length of single rack required is 20'. The total length of double rack 3 of 13' each, 39'.			
2	Racks should be built up with $2'' \times 2'' \times \frac{3}{8}''$ angle iron.			
3	All verticles, cross and horizontal pieces are to be of the same section $2'' \times 2'' \times \frac{3}{8}''$.			
4	The size of the rack (single) should be 5' high and $1\frac{1}{2}$' wide. The size of the rack (double) should be 5' high and $2\frac{1}{2}$' wide.			
5	Sheet iron to be put on sides and in rear.			
6	Shelves to be of sheet iron only with flat iron bars for supporting super weight (books and manuscripts).			
7	Bases for shelves should be of channel iron ($4'' \times 3'' \times \frac{3}{8}''$) fitted with teakwood and shaped ornamentally as per design to be taken at the time of execution.			
8	Sheet iron brackets to be put up at all the angles and revetted properly.			
9	Finish to be very neat and painted with high class paint of required tint.			
10	Work to be started immediately on receipt of order and completed within one month in all respects.			

N.B.—To be fitted up free at the Oriental Library, Mysore.

No. S. P. C. 30635-49, *dated* 16*th May* 1939.

To

The Firms dealing in Tractors.

Enquiry No. 3435.

TRACTORS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee, reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Tractors" with the above enquiry Number.

This enquiry will be closed on the 1st June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	For light ploughing.		*Bangalore.*	
1	F. 30 Farmell Kerosene tractor with the latest improvement in design, with all parts and tools complete, with, in addition, rear tyre extensions, a set of overtyres, and low pressure pneumatic tyres	*One*		
2	One three furrow mould board plough, cutting width 36", with all parts and tools complete.			
3	Three furrow 26" disc ploughs with rear wheel weights, roller bearings and spring release hitch.			
	For heavy ploughing.			
1	A 40 H. P. Kerosene tractor of the latest design, all parts and tools complete, with, in addition, rear tyre extensions, set of overtyres and low pressure pneumatic tyres.	*One*		
2	One four furrow 26" disc plough with rear wheel weights, roller bearings and spring release hitch.			

No. S. P. C. 30621-34, *dated* 16*th May* 1939.

To

The Firms dealing in Microscopes.

Enquiry No. 3436.

MICROSCOPE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Microscope" with the above enquiry Number.

This enquiry will be closed on the 31st May 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Zeiss Microscope with Mechanical stage 120 mm.× 120 mm. with 3 achromatic objectives and 2 oculars complete in box with lock and key	*One*	*Bangalore.*	

No. S. P. C. 30855-65, *dated* 16*th May* 1939.

To

The Firms dealing in Pressed Steel Tanks.

Enquiry No. 3437.

PRESSED STEEL TANK FOR KRISHNARAJENDRA HOSPITAL, MYSORE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the from printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pressed Steel Tank for Krishnarajendra Hospital, Mysore" with the above enquiry Number.

This enquiry will be closed on the 29th May 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Pressed Steel Tank measuring 8′×4′×4′ covered top with manhole cover with 2″ outlet and inlet, washout and overflow arrangements	*Two*	*Mysore*	

No. S. P. C. 30843-54, *dated* 16*th May* 1939.

To

The Firms dealing in X-Ray Apparatus.

Enquiry No. 3438.

X-RAY APPARATUS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for X-Ray Apparatus" with the above enquiry Number.

This enquiry will be closed on the 5th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Specification for the X-Ray plant required :—		*Davangere.*	
1	Oil-immersed Shock proof X-Ray Apparatus stationery model including tilting table for radiography and flourscopy, tube stand, side rail, flourscopic carriage with standard model flourscopic screen, oil immersed tube, high tension transformer, 15 MA, 85 K. V. P. Trolly type control, potter bucky diaphragm.			
2	Cassette with a pair of high speed intensifying screen— (1) 12×15 .. .. 1 (2) 12×10 .. .. 1 (3) 10×8 .. .. 1 (4) $6\frac{1}{2}\times8\frac{1}{2}$ .. .. 1.			
3	Three-compartment Impermo developing tank for developer, hyporinse with drain and overflow funnel			
4	Dark Room safe light			
5	Interval timer			
6	Floating thermometer			
7	Film developing hanger 12×15 Size No. 3 .. 12×10 ,, 5 .. 10×8 ,, 6 .. $6\frac{1}{2}\times8\frac{1}{2}$,, 3 ..			
8	Six exposure holders of various sizes of cardboard ..			
9	X-R-P-Gloves, one pair			
10	Lead Rubber apron .. 1			
11	One pair of X-Ray proof goggles			
12	Viewing box—1 with three compartments 15×17 each			
	Extra Articles :—Refrigerator .. .. 1 .. Diathermy Apparatus .. 1 .. Pantostat Schalls' .. 1 .. Hanovia Ultra-Violet Ray Lamp .. .. 1 .. Solux lamp (infra-red-ray). 1 ..			

N.B.—(1) The above apparatus should be suitable for operation on 220 *volts* 25 *cycles* power supply

(2) Prices should be furnished separately for a similar apparatus but it will be required for being operated on 220 *volts* 60 *cycles power supply*. The price in respect of this equipment should be F.O.R., Bangalore City.

(3) Complete literature connected with the equipment offered should accompany your quotation.

No. S. P. C. 31109-25, *dated* 19*th May* 1939.

To

The Firms dealing in Pumping Sets.

Enquiry No. 3443.

ELECTRIC PUMPING SET FOR BELUR TOWN WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule given overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after its accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric Pumping Set for Belur Town Water Supply," with the above enquiry number.

This enquiry will be closed on the 26th June 1939.

SCHEDULE.

ONE ELECTRIC DRIVEN CENTRIFUGAL PUMP OF THE FOLLOWING SPECIFICATION.

Pump.—The pump required is one Multi stage centrifugal pump, capable of discharging 100 gallons per minute, against a total head from all causes of 200 ft. throughout 24 hours. The casing is to be made of hard and close grained C. I. preferably horizontally split, so as to enable easy removal for inspection.

The shaft should be made of best Siemens Martin Steel or otherwise stainless steel, the impellers, guide vanes, neck rings, glands and bushes, should all be of hard phosphor bronze. It should be of a double entry self balanced type so that there may be no end thrust on the shaft. The pump must be fitted with a suitable ball thrust bearing to take up residual end thrust if any. The pump should be fitted with pressure and vacuum gauges and air release cocks, drain cocks, and priming tundish.

The pump should be directly coupled to a suitable electric motor, by means of flexible pin coupling and fitted on a common C. I. bed plate and should be supplied with foundation bolts, etc., for fixing.

Motor.—The motor should be capable of running on 3 phase, 220 volts, 25 cycles, A.C. system to be converted later on to 440 volts, 50 cycles, A.C. system. It should have 15 to 20 per cent of overload (continuous) capacity. The motor should be of drip proof type and supplied with a switch gear, incorporating one ammeter, one voltmeter and no-load and overload relays.

The quotation should be for delivery f.o.r., Hassan.

No. S. P. C. 31406-25, *dated 22nd May* 1939.

To

The Firms dealing in Telephone Cable.

Enquiry No. 3445.

TELEPHONE AERIAL CABLE.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following materials :—

10 Miles—of Aerial Cable, consisting of one pair of No. 16 S.W.G. or No. 14 B. & S. gauge, solid conductors of the highest conductivity tinned copper, insulated with one layer of pure and 2 layers of vulcanised India rubber, double cotton braided, with fast coloured threads, one wire being coloured red and the other black for identification; and suitable for 660-volts pressure. The wires after insulation and braiding shall have a weather-poof finish suitable for out-door use in tropical climate and shall be twisted together.

The cable shall be of the best quality, its manufacture and materials used for its construction fully conforming to the latest B.S.S. or A.I.E.E. standards.

The cable will be required to be supplied in the longest manufactnred lengths either in coils or on reels well protected against any kind of damage to the cable during shipment or overland transport.

The price shall be for delivery c.i.f., Madras.

The tendering firms shall furnish along with their quotations full specifications, details of construction and samples of cable offered along with the following particulars without which no quotations will be considered :—

(1) Overall diameter of each wire.
(2) Radial thickness of the di-electric.
(3) Cross-section of the conductor in Square inches.
(4) The D.C. resistance per mile of conductor at 20°C.
(5) Do at 60°C.
(6) The length of cable in feet per coil or on each reel.
(7) The weight of the cable per coil or on each reel.

This enquiry will close on the 5th July 1939.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 31087, *dated 17th May* 1939.

NOTICE.

Enquiry No. 3442.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Stationery articles required for the Government Stationery Depot, during the year 1939-40 up to 5 P.M. on 8th July 1939.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent V. P. P.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.